

Microporous and Mesoporous Materials 20 (1998) 405-406

Author Index

Babić-Ivančić, V., 267 Beck, L.W., 361 Bertram, R., 39, 131 Bradley, S.M., 13 Budd, P.M., 305 Busca, G., 79

Chen, L.Y., 323 Chin, C.S., 21 Chong, P.J., 21 Chuah, G.K., 323 Čižmek, A., 267

Davis, M.E., 347, 361 de Haan, J.W., 313 de la Puente, G., 51, 251 Drago, R.S., 189

Emig, G., 281 Engelhardt, G., 369

Fricke, R., 39, 131

Gabelica, Z., 141 Geilfuss, J.S., 229 Gérard, J., 141 Gessner, W., 131 Gil, A., 51 Gonzalez, R.D., 179 Grange, P., 51 Gutiérrez-Alejandre, A., 79

Haranath, D., 63 Heidler, R., 1 Howe, R.F., 13 Huang, Y., 341

Iwasaki, A., 71

Jaenicke, S., 323 Jafar, J.J., 305 Janssens, G.O.A., 1 Jaroniec, M., 93 Jiang, Z., 341 Kassel, W., 189 Kawakami, Y., 71 Kevan, L., 21, 107 Khodabandeh, S., 347 Kim, J.M., 93 Klemm, E., 281 Komatsu, T., 25 Kosanović, C., 261 Kraaijveld, G.J.C., 313 Kralj, D., 267 Kruk, M., 93

Lambert, C.K., 179 Lee, C.W., 21 Lee, Y.C., 21 Liu, P., 149 Lohse, U., 39 Lu, P., 361 Lutz, W., 131

Mal, N.K., 331 Matsufuji, T., 293 Matsukata, M., 293 Moreno, S., 197 Mortier, W.J., 1 Müller, D., 39

Nakajima, Y., 71 Nakata, S.-i., 25 Nishiyama, N., 293

Pajonk, G.M., 63 Parlitz, B., 39 Pitsch, I., 131 Poncelet, G., 197 Prakash, A.M., 107 Prasad, S., 123

Rajamohanan, P.R., 331 Ramaswamy, A.V., 331 Ramaswamy, V., 331 Ramírez, J., 79 Rees, L.V.C., 117, 223 Ryoo, R., 93 Sano, T., 71 Sayari, A., 149 Schoonheydt, R.A., 1 Schreier, E., 39 Sedran, U.A., 251 Shibata, M., 141 Shouji, H., 25 Soga, K., 71 Subotić, B., 261 Subotica, B., 267

Tonejc, A., 267 Trombetta, M., 79

Ueyama, K., 293

van Breukelen, H.F.W.J., 313 van de Ven, L.J.M., 313 van Hooff, J.H.C., 313 Venkateswara Rao, A., 63

Wagh, P.B., 63 Wang, Z.B., 71 Wasowicz, T., 107 Weber, W.P., 361 Wu, P., 25

Yang, Y., 117, 223 Yashima, T., 25 Yuen, L.-T., 229

Zones, S.I., 229





Microporous and Mesoporous Materials 20 (1998) 407-408

Subject Index

Ab initio, 177 Acidity, 177, 307 Acid sites, 283 Adsorbent, 101 Aerogel, 53 ²⁷Al MAS NMR, 317 ²⁷Al NMR, 247 Al₂O₃-ZrO₂, 293 AlPO₄-11, 39 AlPO₄-5, 129 Alumino-silicate, 259 Aluminophosphate molecular sieves, 207 Aluminophosphates, 349 Aluminosilicate hydrogels, 161 Aluminum-pillared clays, 317 Ammonia, 187 Ammonium, 119 Anion exchange, 339 Aza-crown ether, 197

Ball milling, 107 Beta zeolite, 87

Cation exchange, 119
Cation site, 269
Characterization, 293
Charge matching, 371
Chemical composition, 161
¹³C NMR, 247
Clay-organic complex, 17
Clinoptilolite-heulandite, 269
Cloverite, 39
CoAPO-5, 217
CoAPSO-5, 217
Condensation phenomenon, 129
Conventional hydrothermal, 39
Crystal structure, 77
Cu-Cu clusters, 259

Di-*n*-propylamine, 349 Distribution of Na, Si, Al, 161 Electronic spin resonance, 93 Epoxidation, 107 ESR, 355

Faujasite, 149 Ferrisilicate, 139 FT-IR spectroscopy, 307 FTIR, 363

Gallium cobalt phosphate, 371

HDS supports, 17
Heat of ammonia adsorption, 177
Heavy metal, 101
Hectorite clay, 17
Hydrodesulfurization, 17
Hydrogen bonding, 371
Hydrogen influence, 217
Hydrothermal synthesis, 45, 77, 87, 197

Indium, 87
Infrared, 149, 187
Inorganic, 333
In situ electron spin resonance, 207
In situ methods, 349
In situ Mössbauer study, 45
Internal anodizing, 333
Intraparticle porosity, 53
Iron, 139
Iron-containing mordenite, 139
IR spectroscopy, 269, 283
Isomorphous iron substitution, 207
Isomorphous substitution, 139

Layered double hydroxides, 339 Lead, 119 Levynite, 247 Ligand stabilization, 355 Liquid phase, 161

Magnetic properties, 45 MAS NMR spectroscopy, 363 Mazzite, 283 MCM-41 molecular sieves, 67 Membrane, 333 Mercury, 101

Mesopores, 17 Mesoporous, 53, 101

Mesoporous aluminophosphate, 93

Methanol conversion, 217

MFI, 259

Microporous manganese oxides, 3

Microporous materials, 27 Microwave-hydrothermal, 39 Microwave synthesis, 3, 207

Mixed oxides, 293 Molecular sieve, 93 Molecular sieves, 217 Montmorillonite, 187 Mordenite, 139

Mössbauer spectroscopy, 207

N₂ adsorption data, 317 Nanostructure, 27 Natural zeolites, 269 NH₃-stepwise temperature programmed desorpti, 307

NMR, 27

NNN model, 177

OH groups, 283 Open framework, 197

Open framework iron phosphate, 45

Organic medium, 317

Oxyfluorinated gallium phosphate, 197

Oxyfunctionalization, 107

Photoluminescence, 67

Pillars, 187

³¹P MAS NMR spectroscopy, 197

Polymer-clays, 17

Polyoxometalate pillaring, 339

Porous alumina, 333

Porous clay heterostructure, 101

Powder diffraction, 349 Proton affinity, 177

Raman, 149 Rh2+-sites, 355

RhZSM-5, 355

Sedimentary chabazite, 119

Silica, 53 Simulation, 269 ²⁹Si MAS NMR, 317 ²⁹Si NMR, 247

Sodalite, 149, 371 Solid phase, 161

Solution enthalpy, 259 Surface reaction, 187 Surfactant-templated, 53 Symmetry templating, 371

Synthesis, 39, 247

Synthetic meixnerite-like materials, 339

Synthetic todorokite, 3

Thermal decomposition, 339 Titanium silicalite, 107

TPD, 363

Trimethyl phosphite, 363

Tubular, 333

Vanadium, 93 Vibration modes, 269

Water sorption, 129

X-ray absorption spectroscopy, 27

XRD, 317

β-Zeolite, 307 Zeolite, 39

Zeolites, 149, 349

Zinc galloarsenate, 371 Zinc gallophosphate, 371

Zirconium arsenate, 77

ZSM-5, 363

